


SWD380 Cherry Twist Installation Instructions


design
make
play
SutcliffePlay





The site must be level to maintain critical dimensions.

Cherry Twist
Code: SWD380
Sheet 1 of 2

Foundation for loose fill surfacing



Foundation for wet pour/tiles/grass mat



Cherry Twist

Installation procedure

1. Plan the final position of the play equipment ensuring there is enough space*.
2. Excavate the foundation hole in accordance with the drawings .
3. Position the ground fixing assembly in the foundation hole and fill to the required depth with concrete. Ensure that the ground fixing is level.
4. After the concrete has set (2-3 days) the pole spin may be bolted to the ground plate. Install correct surfacing.
5. Check all the fixing bolts are tightened.
6. Follow the maintenance instructions supplied.

* Care should be taken while installing to decrease the hazard for children.

** Care should be taken if the conditions aren't normal.

Space requirements

1. Safety surface recommended 10.5 m² based on 1.5 m from the extremity of the equipment.
2. Length of the safety perimeter 11 m.
3. HIC 1.0m

Parts list

Item No.	Description	Qty.	Stock
1	A Frame	1	SWD382
2	Ground fixing assy	1	SWD120

Required tools:

8mm allen key socket
Tape measure
Spirit level
Digging implements

design
make
play

SutcliffePlay
Waggon Lane
Upton Pontefract
West Yorkshire WF9 1JS
Telephone +44 (0) 1977 653200
Facsimile +44 (0) 1977 653222
info@sutcliffeplay.co.uk
www.sutcliffeplay.co.uk

SWD380

Cherry Twist

Maintenance Instructions

Good design
for children
SutcliffePlay

Recommended Regular Inspection and Maintenance

	Interval (days)				
	7	14	28	56	365
Check stability of structure, tighten connections if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Check all uprights at ground level for corrosion and/or rot. Replace any defective parts.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Check all painted elements for damage, rub down and repaint or replace as required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Check chain/ropework assemblies for wear and damage, replace if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check rotating and pivot points for wear and smooth running lubricate or replace if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check rubber parts for wear and/or damage, replace if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check tension of cables, adjust if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check wear of cables replace if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check slide chutes for smoothness and any foreign elements, remove any found.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check rubber safety surfaces for damage and poor performance, repair or replace if required.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Check loose fill safety surfaces remove any foreign elements, rake	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Disposal Instructions

All components should be broken down into categories of:

1. **Mild steel** - all swing frames, Playzone, Toddlerzone, Teenzone activities, deck frames and springie frames.
2. **Stainless Steel** - all slides, mirror panels.
3. **Aluminium** - all Playzone and Toddlerzone posts and Playzone post caps.
4. **Galvanised steel** - all chains and Teenzone posts.
5. **Moulded rubber products without steel centres** - all Toddlerzone caps and edge details.
6. **Timber** - all natural timber, plywood and mdf panels.

Wherever possible these materials should be taken to specialist recycling organisations and recycled.

In some cases where composite materials are used then disposal at land fill sites is the only alternative such as:

7. **Moulded rubber products encasing steel centres** - all seats, deck tops, duo/dizzy disc tops.
8. **High pressure laminate** - all Toddlerzone, Playzone panels.
9. **Steel core polypropylene rope** - all scramble nets, space nets, Playzone/Toddlerzone ropes and rope bridges.